
pyGPGO Documentation

Release 0.1.0.dev1

Jose Jimenez

Jul 14, 2021

Contents

1	What is Bayesian Optimization?	3
2	How do I get started with pyGPGO?	5
3	API documentation	9
4	References	31
5	Indices and tables	33
	Bibliography	35
	Python Module Index	37
	Index	39

pyGPGO is a simple and modular Python (>3.5) package for Bayesian optimization. It supports:

- Different surrogate models: Gaussian Processes, Student-t Processes, Random Forests, Gradient Boosting Machines.
- Type II Maximum-Likelihood of covariance function hyperparameters.
- MCMC sampling for full-Bayesian inference of hyperparameters (via `pyMC3`).
- Integrated acquisition functions

Check us out on [Github](#).

pyGPGO uses other well-known packages of the Python scientific ecosystem as dependencies:

- `numpy`
- `scipy`
- `joblib`
- `scikit-learn`
- `pyMC3`
- `theano`

These are automatically taken care for in the requirements file.

What is Bayesian Optimization?

Bayesian optimization is a framework that is useful in several scenarios:

- Your objective function has no closed-form.
- No access to gradients
- In presence of noise
- It may be expensive to evaluate.

The bayesian optimization framework uses a surrogate model to approximate the objective function and chooses to optimize it according to some acquisition function. This framework gives a lot of freedom to the user in terms of optimization choices:

- Surrogate model choice
- Covariance function choice
- Acquisition function behaviour
- Hyperparameter treatment

pyGPGO provides an extensive range of choices in each of the previous points, in a modular way. We recommend checking [[Shahriari2016](#)] for an in-depth review of the framework if you're interested.

CHAPTER 2

How do I get started with pyGPGO?

Install the latest stable release from pyPI:

```
pip install pyGPGO
```

or if you're feeling adventurous, install the latest devel version from the Github repository:

```
pip install git+https://github.com/hawk31/pyGPGO
```

pyGPGO is straightforward to use, we only need to specify:

- A function to optimize according to some parameters.
- A dictionary defining parameters, their type and bounds.
- A surrogate model, such as a Gaussian Process, from the `surrogates` module. Some surrogate models require defining a covariance function, with hyperparameters. (from the `covfunc` module)
- An acquisition strategy, from the `acquisition` module.
- A GPGO instance, from the `GPGO` module

A simple example can be checked below:

```
import numpy as np
from pyGPGO.covfunc import squaredExponential
from pyGPGO.acquisition import Acquisition
from pyGPGO.surrogates.GaussianProcess import GaussianProcess
from pyGPGO.GPGO import GPGO

def f(x):
    return (np.sin(x))

sexp = squaredExponential()
gp = GaussianProcess(sexp)
acq = Acquisition(mode='ExpectedImprovement')
```

(continues on next page)

(continued from previous page)

```
param = {'x': ('cont', [0, 2 * np.pi])}

np.random.seed(23)
gpgo = GPGO(gp, acq, f, param)
gpgo.run(max_iter=20)
```

There are a couple of tutorials to help get you started on the [tutorials](#) folder.

For a full list of features with explanations check our [Features](#) section

2.1 Features

The Bayesian optimization framework is very flexible, as it allows for choices in many steps of its design. To name a few of the choices that pyGPGO provides to the user:

2.1.1 Surrogate models `pyGPGO.surrogates`

The framework works by specifying a model that will approximate our target function, better after each evaluation. The most common surrogate in the literature is the Gaussian Process, but the framework is model agnostic. Some featured models are:

- Gaussian Processes (`pyGPGO.surrogates.GaussianProcess` and `pyGPGO.surrogates.GaussianProcessMCMC`): By far the most common choice, it needs the user to specify a covariance function (detailed in the next section), measuring similarity among training examples. For a good introduction to Gaussian Processes, check [\[Rasmussen-Williams2004\]](#).
- Student-t Processes (`pyGPGO.surrogates.tStudentProcess` and `pyGPGO.surrogates.tStudentProcessMCMC`): Some functions benefit from the heavy-tailed nature of the Student-t distribution. It also requires providing a covariance function.
- Random Forests (`pyGPGO.surrogates.RandomForest`): provided by *sklearn*, it represents a nonparametric surrogate model. Does not require specifying a covariance function. A class for Extra Random Forests is also available. Posterior variance is approximated by averaging the variance of each subtree.
- Gradient Boosting Machines (`pyGPGO.surrogates.BoostedTrees`): similar to the latter, posterior variance is approximated using quantile regression.

2.1.2 Covariance functions `pyGPGO.covfunc`

These determine how similar training examples are for the surrogate model. Most of these also have hyperparameters that need to be taken into account. pyGPGO implements the most common covariance functions and its gradients w.r.t. hyperparameters, that we briefly list here.

- Squared Exponential (`pyGPGO.covfunc.squaredExponential`)
- Matérn (`pyGPGO.covfunc.matern` or `pyGPGO.covfunc.matern32` or `pyGPGO.covfunc.matern52`)
- Gamma-Exponential (`pyGPGO.covfunc.gammaExponential`)
- Rational-Quadratic (`pyGPGO.covfunc.rationalQuadratic`)
- ArcSine (`pyGPGO.covfunc.arcSine`)
- Dot-product (`pyGPGO.covfunc.dotProd`)

2.1.3 Acquisition behaviour `pyGPGO.acquisition`

In each iteration of the framework, we choose the next point to evaluate according to a behaviour, dictated by what we call an acquisition function, leveraging exploration and exploitation of the sampled space. `pyGPGO` supports the most common acquisition functions in the literature.

- Probability of improvement: chooses the next point according to the probability of improvement w.r.t. the best observed value.
- Expected improvement: similar to probability of improvement, also weighs the probability by the amount improved. Naturally balances exploration and exploitation and is by far the most used acquisition function in the literature.
- Upper confidence limit: Features a beta parameter to explicitly control the balance of exploration vs exploitation. Higher beta values would higher levels of exploration.
- Entropy: Information-theory based acquisition function.

Integrated version of these are also available for the MCMC sampling versions of surrogate models.

2.1.4 Hyperparameter treatment

Covariance functions also have hyperparameters, and their treatment is also thoroughly discussed in the literature (see [\[Shahriari2016\]](#)). To summarize, we mainly have two options available:

- Optimizing the marginal log-likelihood, also called the Empirical Bayes approach. `pyGPGO` supports this feature using analytical gradients for almost all acquisition functions.
- The full Bayesian approach takes into account the uncertainty caused by the hyperparameters in the optimization procedure by marginalizing them, that is, integrating over them. `pyGPGO` implements this via MCMC sampling provided by the `pyMC3` software, which in turns also provides an easy way for the user to choose whatever sampler they wish.

2.1.5 References

`pyGPGO` is not the only package for bayesian optimization in Python, other excellent alternatives exist. For an in-depth comparison of the features offered by `pyGPGO` compared to other software, check the following section:

2.2 Comparison with other software

`pyGPGO` is not the only available Python package for bayesian optimization. To the best of our knowledge, we believe that it is one of the most comprehensive ones in terms of features available to the user. We show a table comparing some of the most common features here:

	pyGPGO	Spearmint	fmfn/Bayesian	pyGPGO	MOE	GPyOpt	scikit-optimize
GP implementation	Native	Native	via scikit-learn	via Reggie	Native	via GPy	via scikit-learn
Modular	Yes	No	No	No	No	Yes	No
Surrogates	{GP, tSP, RF, ET, GBM}	{GP}	{GP}	{GP}	{GP}	{GP, RF, WGP}	{GP, RF, GBM}
Type II ML optimization	Yes	No	No	No	Yes	Yes	Yes
MCMC inference	Yes (via pyMC3)	Yes	No	Yes	No	Yes	No
Choice of MCMC sampler	Yes	Yes	No	Yes	No	No	No
Acquisition functions	{PI, EI, UCB, Entropy}	{EI}	{PI, EI, UCB}	{PI, EI, UCB, Thompson sampling}	{EI}	{PI, EI, UCB}	{PI, EI, UCB}
Integrated acq. function	Yes	Yes	No	Yes	No	Yes	No
License	MIT	Academic	MIT	BSD-2	Apache	BSD-3	BSD
Last update (as of Apr. 2017)	•	Apr 2016	Mar 2017	Sept 2015	Apr 2016	Apr 2017	Apr 2017
Python version	> 3.5	2.7	2/3	2/3	2.7	2/3	2/3

If you like some other feature implemented into pyGPGO or think this table is outdated or incorrect, please let us know by opening an issue on the Github repository of the package!

3.1 pyGPGO documentation

Contents:

3.1.1 pyGPGO.GPGO module

class `pyGPGO.GPGO.GPGO` (*surrogate, acquisition, f, parameter_dict, n_jobs=1*)

Bases: `object`

Bayesian Optimization class.

Parameters

- **Surrogate** (*Surrogate model instance*) – Gaussian Process surrogate model instance.
- **Acquisition** (*Acquisition instance*) – Acquisition instance.
- **f** (*fun*) – Function to maximize over parameters specified by *parameter_dict*.
- **parameter_dict** (*dict*) – Dictionary specifying parameter, their type and bounds.
- **n_jobs** (*int. Default 1*) – Parallel threads to use during acquisition optimization.

parameter_key

Parameters to consider in optimization

Type `list`

parameter_type

Parameter types.

Type `list`

parameter_range

Parameter bounds during optimization

Type `list`

history

Target values evaluated along the procedure.

Type `list`

__init__ (*surrogate, acquisition, f, parameter_dict, n_jobs=1*)

Bayesian Optimization class.

Parameters

- **Surrogate** (*Surrogate model instance*) – Gaussian Process surrogate model instance.
- **Acquisition** (*Acquisition instance*) – Acquisition instance.
- **f** (*fun*) – Function to maximize over parameters specified by *parameter_dict*.
- **parameter_dict** (*dict*) – Dictionary specifying parameter, their type and bounds.
- **n_jobs** (*int. Default 1*) – Parallel threads to use during acquisition optimization.

parameter_key

Parameters to consider in optimization

Type `list`

parameter_type

Parameter types.

Type `list`

parameter_range

Parameter bounds during optimization

Type `list`

history

Target values evaluated along the procedure.

Type `list`

__acqWrapper (*xnew*)

Evaluates the acquisition function on a point.

Parameters **xnew** (*np.ndarray, shape=((len(self.parameter_key),))*) – Point to evaluate the acquisition function on.

Returns Acquisition function value for *xnew*.

Return type `float`

__firstRun (*n_eval=3*)

Performs initial evaluations before fitting GP.

Parameters **n_eval** (*int*) – Number of initial evaluations to perform. Default is 3.

__optimizeAcq (*method='L-BFGS-B', n_start=100*)

Optimizes the acquisition function using a multistart approach.

Parameters

- **method** (*str. Default 'L-BFGS-B'.*) – Any *scipy.optimize* method that admits bounds and gradients. Default is 'L-BFGS-B'.
- **n_start** (*int.*) – Number of starting points for the optimization procedure. Default is 100.

_sampleParam()

Randomly samples parameters over bounds.

Returns A random sample of specified parameters.

Return type `dict`

getResult()

Prints best result in the Bayesian Optimization procedure.

Returns

- *OrderedDict* – Point yielding best evaluation in the procedure.
- *float* – Best function evaluation.

run (*max_iter=10, init_evals=3, resume=False*)

Runs the Bayesian Optimization procedure.

Parameters

- **max_iter** (*int*) – Number of iterations to run. Default is 10.
- **init_evals** (*int*) – Initial function evaluations before fitting a GP. Default is 3.
- **resume** (*bool*) – Whether to resume the optimization procedure from the last evaluation. Default is *False*.

updateGP()

Updates the internal model with the next acquired point and its evaluation.

3.1.2 pyGPGO.surrogates package

Submodules

pyGPGO.surrogates.BoostedTrees module

class pyGPGO.surrogates.BoostedTrees.**BoostedTrees** (*q1=0.16, q2=0.84, **params*)

Bases: `object`

Gradient boosted trees as surrogate model for Bayesian Optimization. Uses quantile regression for an estimate of the ‘posterior’ variance. In practice, the std is computed as $(q2 - q1) / 2$. Relies on *sklearn.ensemble.GradientBoostingRegressor*

Parameters

- **q1** (*float*) – First quantile.
- **q2** (*float*) – Second quantile
- **params** (*tuple*) – Extra parameters to pass to *GradientBoostingRegressor*

__init__ (*q1=0.16, q2=0.84, **params*)

Gradient boosted trees as surrogate model for Bayesian Optimization. Uses quantile regression for an estimate of the ‘posterior’ variance. In practice, the std is computed as $(q2 - q1) / 2$. Relies on *sklearn.ensemble.GradientBoostingRegressor*

Parameters

- **q1** (*float*) – First quantile.
- **q2** (*float*) – Second quantile
- **params** (*tuple*) – Extra parameters to pass to *GradientBoostingRegressor*

fit (*X*, *y*)

Fit a GBM model to data *X* and targets *y*.

Parameters

- **X** (*array-like*) – Input values.
- **y** (*array-like*) – Target values.

predict (*Xstar*, *return_std=True*)

Predicts ‘posterior’ mean and variance for the GBM model.

Parameters

- **Xstar** (*array-like*) – Input values.
- **return_std** (*bool*, *optional*) – Whether to return posterior variance estimates. Default is *True*.
- **eps** (*float*, *optional*) – Floating precision value for negative variance estimates. Default is *1e-6*

Returns

- *array-like* – Posterior predicted mean.
- *array-like* – Posterior predicted std

update (*xnew*, *ynew*)

Updates the internal RF model with observations *xnew* and targets *ynew*.

Parameters

- **xnew** (*array-like*) – New observations.
- **ynew** (*array-like*) – New targets.

pyGPGO.surrogates.GaussianProcess module

```
class pyGPGO.surrogates.GaussianProcess.GaussianProcess (covfunc, optimize=False,  
                                                         usegrads=False,  
                                                         mprior=0)
```

Bases: `object`

Gaussian Process regressor class. Based on Rasmussen & Williams [1]_ algorithm 2.1.

Parameters

- **covfunc** (*instance from a class of covfunc module*) – Covariance function. An instance from a class in the *covfunc* module.
- **optimize** (*bool*;) – Whether to perform covariance function hyperparameter optimization.
- **usegrads** (*bool*) – Whether to use gradient information on hyperparameter optimization. Only used if *optimize=True*.

covfunc

Internal covariance function.

Type `object`

optimize

User chosen optimization configuration.

Type `bool`

usegrads

Gradient behavior

Type `bool`

mprior

Explicit value for the mean function of the prior Gaussian Process.

Type `float`

Notes

[1] Rasmussen, C. E., & Williams, C. K. I. (2004). Gaussian processes for machine learning. International journal of neural systems (Vol. 14). <http://doi.org/10.1142/S0129065704001899>

__init__(*covfunc*, *optimize=False*, *usegrads=False*, *mprior=0*)

Gaussian Process regressor class. Based on Rasmussen & Williams [1] algorithm 2.1.

Parameters

- **covfunc** (*instance from a class of covfunc module*) – Covariance function. An instance from a class in the *covfunc* module.
- **optimize** (*bool*;) – Whether to perform covariance function hyperparameter optimization.
- **usegrads** (*bool*) – Whether to use gradient information on hyperparameter optimization. Only used if *optimize=True*.

covfunc

Internal covariance function.

Type `object`

optimize

User chosen optimization configuration.

Type `bool`

usegrads

Gradient behavior

Type `bool`

mprior

Explicit value for the mean function of the prior Gaussian Process.

Type `float`

Notes

[1] Rasmussen, C. E., & Williams, C. K. I. (2004). Gaussian processes for machine learning. International journal of neural systems (Vol. 14). <http://doi.org/10.1142/S0129065704001899>

_grad(*param_vector*, *param_key*)

Returns gradient for each hyperparameter, evaluated at a given point.

Parameters

- **param_vector** (*list*) – List of values corresponding to hyperparameters to query.
- **param_key** (*list*) – List of hyperparameter strings corresponding to *param_vector*.

Returns Gradient for each evaluated hyperparameter.

Return type `np.ndarray`

`_lmlik` (*param_vector*, *param_key*)

Returns marginal negative log-likelihood for given covariance hyperparameters.

Parameters

- **`param_vector`** (*list*) – List of values corresponding to hyperparameters to query.
- **`param_key`** (*list*) – List of hyperparameter strings corresponding to *param_vector*.

Returns Negative log-marginal likelihood for chosen hyperparameters.

Return type `float`

`fit` (*X*, *y*)

Fits a Gaussian Process regressor

Parameters

- **`X`** (*np.ndarray*, *shape*=(*nsamples*, *nfeatures*)) – Training instances to fit the GP.
- **`y`** (*np.ndarray*, *shape*=(*nsamples*,)) – Corresponding continuous target values to *X*.

`getcovparams` ()

Returns current covariance function hyperparameters

Returns Dictionary containing covariance function hyperparameters

Return type `dict`

`optHyp` (*param_key*, *param_bounds*, *grads*=None, *n_trials*=5)

Optimizes the negative marginal log-likelihood for given hyperparameters and bounds. This is an empirical Bayes approach (or Type II maximum-likelihood).

Parameters

- **`param_key`** (*list*) – List of hyperparameters to optimize.
- **`param_bounds`** (*list*) – List containing tuples defining bounds for each hyperparameter to optimize over.

`param_grad` (*k_param*)

Returns gradient over hyperparameters. It is recommended to use *self._grad* instead.

Parameters **`k_param`** (*dict*) – Dictionary with keys being hyperparameters and values their queried values.

Returns Gradient corresponding to each hyperparameters. Order given by *k_param.keys()*

Return type `np.ndarray`

`predict` (*Xstar*, *return_std*=False)

Returns mean and covariances for the posterior Gaussian Process.

Parameters

- **`Xstar`** (*np.ndarray*, *shape*=(*nsamples*, *nfeatures*))) – Testing instances to predict.
- **`return_std`** (*bool*) – Whether to return the standard deviation of the posterior process. Otherwise, it returns the whole covariance matrix of the posterior process.

Returns

- *np.ndarray* – Mean of the posterior process for testing instances.
- *np.ndarray* – Covariance of the posterior process for testing instances.

update (*xnew*, *ynew*)

Updates the internal model with *xnew* and *ynew* instances.

Parameters

- **xnew** (*np.ndarray*, *shape*=(*m*, *nfeatures*))) – New training instances to update the model with.
- **ynew** (*np.ndarray*, *shape*=(*m*,)) – New training targets to update the model with.

pyGPGO.surrogates.GaussianProcessMCMC module

pyGPGO.surrogates.RandomForest module

class pyGPGO.surrogates.RandomForest.**ExtraForest** (***params*)

Bases: *object*

Wrapper around sklearn's ExtraTreesRegressor implementation for pyGPGO. Random Forests can also be used for surrogate models in Bayesian Optimization. An estimate of 'posterior' variance can be obtained by using the *impurity* criterion value in each subtree.

Parameters *params* (*tuple*, *optional*) – Any parameters to pass to *RandomForestRegressor*. Defaults to sklearn's.

__init__ (***params*)

Wrapper around sklearn's ExtraTreesRegressor implementation for pyGPGO. Random Forests can also be used for surrogate models in Bayesian Optimization. An estimate of 'posterior' variance can be obtained by using the *impurity* criterion value in each subtree.

Parameters *params* (*tuple*, *optional*) – Any parameters to pass to *RandomForestRegressor*. Defaults to sklearn's.

fit (*X*, *y*)

Fit a Random Forest model to data *X* and targets *y*.

Parameters

- **X** (*array-like*) – Input values.
- **y** (*array-like*) – Target values.

predict (*Xstar*, *return_std=True*, *eps=1e-06*)

Predicts 'posterior' mean and variance for the RF model.

Parameters

- **Xstar** (*array-like*) – Input values.
- **return_std** (*bool*, *optional*) – Whether to return posterior variance estimates. Default is *True*.
- **eps** (*float*, *optional*) – Floating precision value for negative variance estimates. Default is *1e-6*

Returns

- *array-like* – Posterior predicted mean.

- *array-like* – Posterior predicted std

update (*xnew*, *ynew*)

Updates the internal RF model with observations *xnew* and targets *ynew*.

Parameters

- **xnew** (*array-like*) – New observations.
- **ynew** (*array-like*) – New targets.

class pyGPGO.surrogates.RandomForest.**RandomForest** (***params*)

Bases: `object`

Wrapper around sklearn's Random Forest implementation for pyGPGO. Random Forests can also be used for surrogate models in Bayesian Optimization. An estimate of 'posterior' variance can be obtained by using the *impurity* criterion value in each subtree.

Parameters **params** (*tuple*, *optional*) – Any parameters to pass to *RandomForestRegressor*. Defaults to sklearn's.

__init__ (***params*)

Wrapper around sklearn's Random Forest implementation for pyGPGO. Random Forests can also be used for surrogate models in Bayesian Optimization. An estimate of 'posterior' variance can be obtained by using the *impurity* criterion value in each subtree.

Parameters **params** (*tuple*, *optional*) – Any parameters to pass to *RandomForestRegressor*. Defaults to sklearn's.

fit (*X*, *y*)

Fit a Random Forest model to data *X* and targets *y*.

Parameters

- **X** (*array-like*) – Input values.
- **y** (*array-like*) – Target values.

predict (*Xstar*, *return_std=True*, *eps=1e-06*)

Predicts 'posterior' mean and variance for the RF model.

Parameters

- **Xstar** (*array-like*) – Input values.
- **return_std** (*bool*, *optional*) – Whether to return posterior variance estimates. Default is *True*.
- **eps** (*float*, *optional*) – Floating precision value for negative variance estimates. Default is *1e-6*

Returns

- *array-like* – Posterior predicted mean.
- *array-like* – Posterior predicted std

update (*xnew*, *ynew*)

Updates the internal RF model with observations *xnew* and targets *ynew*.

Parameters

- **xnew** (*array-like*) – New observations.
- **ynew** (*array-like*) – New targets.

pyGPGO.surrogates.tStudentProcess module

`pyGPGO.surrogates.tStudentProcess.logpdf(x, df, mu, Sigma)`

Marginal log-likelihood of a Student-t Process

Parameters

- **x** (*array-like*) – Point to be evaluated
- **df** (*float*) – Degrees of freedom (>2.0)
- **mu** (*array-like*) – Mean of the process.
- **Sigma** (*array-like*) – Covariance matrix of the process.

Returns **logp** – log-likelihood

Return type *float*

class `pyGPGO.surrogates.tStudentProcess.tStudentProcess(covfunc, nu=3.0, optimize=False)`

Bases: *object*

t-Student Process regressor class. This class DOES NOT support gradients in ML estimation yet.

Parameters

- **covfunc** (*instance from a class of covfunc module*) – An instance from a class from the *covfunc* module.
- **nu** (*float*) – (>2.0) Degrees of freedom

covfunc

Internal covariance function.

Type *object*

nu

Degrees of freedom.

Type *float*

optimize

Whether to optimize covariance function hyperparameters.

Type *bool*

__init__ (*covfunc, nu=3.0, optimize=False*)

t-Student Process regressor class. This class DOES NOT support gradients in ML estimation yet.

Parameters

- **covfunc** (*instance from a class of covfunc module*) – An instance from a class from the *covfunc* module.
- **nu** (*float*) – (>2.0) Degrees of freedom

covfunc

Internal covariance function.

Type *object*

nu

Degrees of freedom.

Type *float*

optimize

Whether to optimize covariance function hyperparameters.

Type `bool`

_lmlik (*param_vector*, *param_key*)

Returns marginal negative log-likelihood for given covariance hyperparameters.

Parameters

- **param_vector** (*list*) – List of values corresponding to hyperparameters to query.
- **param_key** (*list*) – List of hyperparameter strings corresponding to *param_vector*.

Returns Negative log-marginal likelihood for chosen hyperparameters.

Return type `float`

fit (*X*, *y*)

Fits a t-Student Process regressor

Parameters

- **X** (*np.ndarray*, *shape*=(*nsamples*, *nfeatures*)) – Training instances to fit the GP.
- **y** (*np.ndarray*, *shape*=(*nsamples*,)) – Corresponding continuous target values to *X*.

getcovparams ()

Returns current covariance function hyperparameters

Returns Dictionary containing covariance function hyperparameters

Return type `dict`

optHyp (*param_key*, *param_bounds*, *n_trials*=5)

Optimizes the negative marginal log-likelihood for given hyperparameters and bounds. This is an empirical Bayes approach (or Type II maximum-likelihood).

Parameters

- **param_key** (*list*) – List of hyperparameters to optimize.
- **param_bounds** (*list*) – List containing tuples defining bounds for each hyperparameter to optimize over.

predict (*Xstar*, *return_std*=*False*)

Returns mean and covariances for the posterior t-Student process.

Parameters

- **Xstar** (*np.ndarray*, *shape*=(*nsamples*, *nfeatures*)) – Testing instances to predict.
- **return_std** (*bool*) – Whether to return the standard deviation of the posterior process. Otherwise, it returns the whole covariance matrix of the posterior process.

Returns

- *np.ndarray* – Mean of the posterior process for testing instances.
- *np.ndarray* – Covariance of the posterior process for testing instances.

update (*xnew*, *ynew*)

Updates the internal model with *xnew* and *ynew* instances.

Parameters

- **xnew** (*np.ndarray*, *shape*=(*m*, *nfeatures*))) – New training instances to update the model with.
- **ynew** (*np.ndarray*, *shape*=(*m*,))) – New training targets to update the model with.

pyGPGO.surrogates.tStudentProcessMCMC module

Module contents

3.1.3 pyGPGO.covfunc module

class pyGPGO.covfunc.**dotProd**(*sigmaf=1.0*, *sigman=1e-06*, *bounds=None*, *parameters=['sigmaf', 'sigman']*)

Bases: `object`

Dot-product kernel class.

Parameters

- **sigmaf** (*float*) – Signal variance. Controls the overall scale of the covariance function.
- **sigman** (*float*) – Noise variance. Additive noise in output space.
- **bounds** (*list*) – List of tuples specifying hyperparameter range in optimization procedure.
- **parameters** (*list*) – List of strings specifying which hyperparameters should be optimized.

K(*X*, *Xstar*)

Computes covariance function values over *X* and *Xstar*.

Parameters

- **X** (*np.ndarray*, *shape*=(*n*, *nfeatures*))) – Instances
- **Xstar** (*np.ndarray*, *shape*=(*n*, *nfeatures*))) – Instances

Returns Computed covariance matrix.

Return type `np.ndarray`

gradK(*X*, *Xstar*, *param*)

Computes gradient matrix for instances *X*, *Xstar* and hyperparameter *param*.

Parameters

- **X** (*np.ndarray*, *shape*=(*n*, *nfeatures*))) – Instances
- **Xstar** (*np.ndarray*, *shape*=(*n*, *nfeatures*))) – Instances
- **param** (*str*) – Parameter to compute gradient matrix for.

Returns Gradient matrix for parameter *param*.

Return type `np.ndarray`

class pyGPGO.covfunc.**expSine**(*l=1.0*, *period=1.0*, *bounds=None*, *parameters=['l', 'period']*)

Bases: `object`

Exponential sine kernel class.

Parameters

- **l** (*float*) – Characteristic length-scale. Units in input space in which posterior GP values do not change significantly. l: float
- **period** (*float*) – Period hyperparameter.
- **bounds** (*list*) – List of tuples specifying hyperparameter range in optimization procedure.
- **parameters** (*list*) – List of strings specifying which hyperparameters should be optimized.

K (*X*, *Xstar*)

Computes covariance function values over *X* and *Xstar*.

Parameters

- **X** (*np.ndarray*, *shape*=((*n*, *nfeatures*))) – Instances
- **Xstar** (*np.ndarray*, *shape*=((*n*, *nfeatures*))) – Instances

Returns Computed covariance matrix.

Return type *np.ndarray*

gradK (*X*, *Xstar*, *param*)

```
class pyGPGO.covfunc.gammaExponential (gamma=1, l=1, sigmaf=1, sigman=1e-06,  
                                         bounds=None, parameters=['gamma', 'l', 'sig-  
                                         maf', 'sigman'])
```

Bases: *object*

Gamma-exponential kernel class.

Parameters

- **gamma** (*float*) – Hyperparameter of the Gamma-exponential covariance function.
- **l** (*float*) – Characteristic length-scale. Units in input space in which posterior GP values do not change significantly.
- **sigmaf** (*float*) – Signal variance. Controls the overall scale of the covariance function.
- **sigman** (*float*) – Noise variance. Additive noise in output space.
- **bounds** (*list*) – List of tuples specifying hyperparameter range in optimization procedure.
- **parameters** (*list*) – List of strings specifying which hyperparameters should be optimized.

K (*X*, *Xstar*)

Computes covariance function values over *X* and *Xstar*.

Parameters

- **X** (*np.ndarray*, *shape*=((*n*, *nfeatures*))) – Instances
- **Xstar** (*np.ndarray*, *shape*=((*n*, *nfeatures*))) – Instances

Returns Computed covariance matrix.

Return type *np.ndarray*

```
__init__ (gamma=1, l=1, sigmaf=1, sigman=1e-06, bounds=None, parameters=['gamma', 'l', 'sig-  
                                         maf', 'sigman'])
```

Gamma-exponential kernel class.

Parameters

- **gamma** (*float*) – Hyperparameter of the Gamma-exponential covariance function.
- **l** (*float*) – Characteristic length-scale. Units in input space in which posterior GP values do not change significantly.
- **sigmaf** (*float*) – Signal variance. Controls the overall scale of the covariance function.
- **sigman** (*float*) – Noise variance. Additive noise in output space.
- **bounds** (*list*) – List of tuples specifying hyperparameter range in optimization procedure.
- **parameters** (*list*) – List of strings specifying which hyperparameters should be optimized.

gradK (*X*, *Xstar*, *param*)

Computes gradient matrix for instances *X*, *Xstar* and hyperparameter *param*.

Parameters

- **X** (*np.ndarray*, *shape*=(*n*, *nfeatures*))) – Instances
- **Xstar** (*np.ndarray*, *shape*=(*n*, *nfeatures*))) – Instances
- **param** (*str*) – Parameter to compute gradient matrix for.

Returns Gradient matrix for parameter *param*.

Return type *np.ndarray*

`pyGPGO.covfunc.kronDelta` (*X*, *Xstar*)

Computes Kronecker delta for rows in *X* and *Xstar*.

Parameters

- **X** (*np.ndarray*, *shape*=(*n*, *nfeatures*))) – Instances.
- **Xstar** (*np.ndarray*, *shape*=(*m*, *nfeatures*))) – Instances.

Returns Kronecker delta between row pairs of *X* and *Xstar*.

Return type *np.ndarray*

`pyGPGO.covfunc.l2norm_` (*X*, *Xstar*)

Wrapper function to compute the L2 norm

Parameters

- **X** (*np.ndarray*, *shape*=(*n*, *nfeatures*))) – Instances.
- **Xstar** (*np.ndarray*, *shape*=(*m*, *nfeatures*))) – Instances

Returns Pairwise euclidian distance between row pairs of *X* and *Xstar*.

Return type *np.ndarray*

class `pyGPGO.covfunc.matern` (*v*=1, *l*=1, *sigmaf*=1, *sigman*=1e-06, *bounds*=None, *parameters*=['v', 'l', 'sigmaf', 'sigman'])

Bases: `object`

Matern kernel class.

Parameters

- **v** (*float*) – Scale-mixture hyperparameter of the Matern covariance function.
- **l** (*float*) – Characteristic length-scale. Units in input space in which posterior GP values do not change significantly.

- **sigmaf** (*float*) – Signal variance. Controls the overall scale of the covariance function.
- **sigman** (*float*) – Noise variance. Additive noise in output space.
- **bounds** (*list*) – List of tuples specifying hyperparameter range in optimization procedure.
- **parameters** (*list*) – List of strings specifying which hyperparameters should be optimized.

K (*X*, *Xstar*)

Computes covariance function values over *X* and *Xstar*.

Parameters

- **X** (*np.ndarray*, *shape*=(*n*, *nfeatures*))) – Instances
- **Xstar** (*np.ndarray*, *shape*=(*n*, *nfeatures*))) – Instances

Returns Computed covariance matrix.

Return type *np.ndarray*

__init__ (*v=1*, *l=1*, *sigmaf=1*, *sigman=1e-06*, *bounds=None*, *parameters=['v', 'l', 'sigmaf', 'sigman']*)

Matern kernel class.

Parameters

- **v** (*float*) – Scale-mixture hyperparameter of the Matern covariance function.
- **l** (*float*) – Characteristic length-scale. Units in input space in which posterior GP values do not change significantly.
- **sigmaf** (*float*) – Signal variance. Controls the overall scale of the covariance function.
- **sigman** (*float*) – Noise variance. Additive noise in output space.
- **bounds** (*list*) – List of tuples specifying hyperparameter range in optimization procedure.
- **parameters** (*list*) – List of strings specifying which hyperparameters should be optimized.

class `pyGPGO.covfunc.matern32` (*l=1*, *sigmaf=1*, *sigman=1e-06*, *bounds=None*, *parameters=['l', 'sigmaf', 'sigman']*)

Bases: `object`

Matern $v=3/2$ kernel class.

Parameters

- **l** (*float*) – Characteristic length-scale. Units in input space in which posterior GP values do not change significantly.
- **sigmaf** (*float*) – Signal variance. Controls the overall scale of the covariance function.
- **sigman** (*float*) – Noise variance. Additive noise in output space.
- **bounds** (*list*) – List of tuples specifying hyperparameter range in optimization procedure.
- **parameters** (*list*) – List of strings specifying which hyperparameters should be optimized.

K (*X*, *Xstar*)

Computes covariance function values over *X* and *Xstar*.

Parameters

- **X** (`np.ndarray`, `shape=((n, nfeatures))`) – Instances
- **Xstar** (`np.ndarray`, `shape=((n, nfeatures))`) – Instances

Returns Computed covariance matrix.

Return type `np.ndarray`

__init__ (`l=1`, `sigmaf=1`, `sigman=1e-06`, `bounds=None`, `parameters=['l', 'sigmaf', 'sigman']`)
Matern $v=3/2$ kernel class.

Parameters

- **l** (`float`) – Characteristic length-scale. Units in input space in which posterior GP values do not change significantly.
- **sigmaf** (`float`) – Signal variance. Controls the overall scale of the covariance function.
- **sigman** (`float`) – Noise variance. Additive noise in output space.
- **bounds** (`list`) – List of tuples specifying hyperparameter range in optimization procedure.
- **parameters** (`list`) – List of strings specifying which hyperparameters should be optimized.

gradK (`X`, `Xstar`, `param`)

Computes gradient matrix for instances `X`, `Xstar` and hyperparameter `param`.

Parameters

- **X** (`np.ndarray`, `shape=((n, nfeatures))`) – Instances
- **Xstar** (`np.ndarray`, `shape=((n, nfeatures))`) – Instances
- **param** (`str`) – Parameter to compute gradient matrix for.

Returns Gradient matrix for parameter `param`.

Return type `np.ndarray`

class `pyGPGO.covfunc.matern52` (`l=1`, `sigmaf=1`, `sigman=1e-06`, `bounds=None`, `parameters=['l', 'sigmaf', 'sigman']`)

Bases: `object`

Matern $v=5/2$ kernel class.

Parameters

- **l** (`float`) – Characteristic length-scale. Units in input space in which posterior GP values do not change significantly.
- **sigmaf** (`float`) – Signal variance. Controls the overall scale of the covariance function.
- **sigman** (`float`) – Noise variance. Additive noise in output space.
- **bounds** (`list`) – List of tuples specifying hyperparameter range in optimization procedure.
- **parameters** (`list`) – List of strings specifying which hyperparameters should be optimized.

K (`X`, `Xstar`)

Computes covariance function values over `X` and `Xstar`.

Parameters

- **X** (`np.ndarray`, `shape=((n, nfeatures))`) – Instances
- **Xstar** (`np.ndarray`, `shape=((n, nfeatures))`) – Instances

Returns Computed covariance matrix.

Return type `np.ndarray`

__init__ (`l=1`, `sigmaf=1`, `sigman=1e-06`, `bounds=None`, `parameters=['l', 'sigmaf', 'sigman']`)
Matern $\nu=5/2$ kernel class.

Parameters

- **l** (`float`) – Characteristic length-scale. Units in input space in which posterior GP values do not change significantly.
- **sigmaf** (`float`) – Signal variance. Controls the overall scale of the covariance function.
- **sigman** (`float`) – Noise variance. Additive noise in output space.
- **bounds** (`list`) – List of tuples specifying hyperparameter range in optimization procedure.
- **parameters** (`list`) – List of strings specifying which hyperparameters should be optimized.

gradK (`X`, `Xstar`, `param`)

Computes gradient matrix for instances `X`, `Xstar` and hyperparameter `param`.

Parameters

- **X** (`np.ndarray`, `shape=((n, nfeatures))`) – Instances
- **Xstar** (`np.ndarray`, `shape=((n, nfeatures))`) – Instances
- **param** (`str`) – Parameter to compute gradient matrix for.

Returns Gradient matrix for parameter `param`.

Return type `np.ndarray`

class `pyGPGO.covfunc.rationalQuadratic` (`alpha=1`, `l=1`, `sigmaf=1`, `sigman=1e-06`,
`bounds=None`, `parameters=['alpha', 'l', 'sigmaf', 'sigman']`)

Bases: `object`

Rational-quadratic kernel class.

Parameters

- **alpha** (`float`) – Hyperparameter of the rational-quadratic covariance function.
- **l** (`float`) – Characteristic length-scale. Units in input space in which posterior GP values do not change significantly.
- **sigmaf** (`float`) – Signal variance. Controls the overall scale of the covariance function.
- **sigman** (`float`) – Noise variance. Additive noise in output space.
- **bounds** (`list`) – List of tuples specifying hyperparameter range in optimization procedure.
- **parameters** (`list`) – List of strings specifying which hyperparameters should be optimized.

K (`X`, `Xstar`)

Computes covariance function values over `X` and `Xstar`.

Parameters

- **X** (`np.ndarray`, `shape=((n, nfeatures))`) – Instances
- **Xstar** (`np.ndarray`, `shape=((n, nfeatures))`) – Instances

Returns Computed covariance matrix.

Return type `np.ndarray`

`__init__` (`alpha=1`, `l=1`, `sigmaf=1`, `sigman=1e-06`, `bounds=None`, `parameters=['alpha', 'l', 'sigmaf', 'sigman']`)

Rational-quadratic kernel class.

Parameters

- **alpha** (`float`) – Hyperparameter of the rational-quadratic covariance function.
- **l** (`float`) – Characteristic length-scale. Units in input space in which posterior GP values do not change significantly.
- **sigmaf** (`float`) – Signal variance. Controls the overall scale of the covariance function.
- **sigman** (`float`) – Noise variance. Additive noise in output space.
- **bounds** (`list`) – List of tuples specifying hyperparameter range in optimization procedure.
- **parameters** (`list`) – List of strings specifying which hyperparameters should be optimized.

gradK (`X`, `Xstar`, `param`)

Computes gradient matrix for instances `X`, `Xstar` and hyperparameter `param`.

Parameters

- **X** (`np.ndarray`, `shape=((n, nfeatures))`) – Instances
- **Xstar** (`np.ndarray`, `shape=((n, nfeatures))`) – Instances
- **param** (`str`) – Parameter to compute gradient matrix for.

Returns Gradient matrix for parameter `param`.

Return type `np.ndarray`

`class pyGPGO.covfunc.squaredExponential` (`l=1`, `sigmaf=1.0`, `sigman=1e-06`, `bounds=None`, `parameters=['l', 'sigmaf', 'sigman']`)

Bases: `object`

Squared exponential kernel class.

Parameters

- **l** (`float`) – Characteristic length-scale. Units in input space in which posterior GP values do not change significantly.
- **sigmaf** (`float`) – Signal variance. Controls the overall scale of the covariance function.
- **sigman** (`float`) – Noise variance. Additive noise in output space.
- **bounds** (`list`) – List of tuples specifying hyperparameter range in optimization procedure.
- **parameters** (`list`) – List of strings specifying which hyperparameters should be optimized.

K(*X*, *Xstar*)

Computes covariance function values over *X* and *Xstar*.

Parameters

- **X** (*np.ndarray*, *shape*=(*n*, *nfeatures*)) – Instances
- **Xstar** (*np.ndarray*, *shape*=(*n*, *nfeatures*)) – Instances

Returns Computed covariance matrix.

Return type *np.ndarray*

__init__ (*l=1*, *sigmaf=1.0*, *sigman=1e-06*, *bounds=None*, *parameters=['l', 'sigmaf', 'sigman']*)
Squared exponential kernel class.

Parameters

- **l** (*float*) – Characteristic length-scale. Units in input space in which posterior GP values do not change significantly.
- **sigmaf** (*float*) – Signal variance. Controls the overall scale of the covariance function.
- **sigman** (*float*) – Noise variance. Additive noise in output space.
- **bounds** (*list*) – List of tuples specifying hyperparameter range in optimization procedure.
- **parameters** (*list*) – List of strings specifying which hyperparameters should be optimized.

gradK(*X*, *Xstar*, *param='l'*)

Computes gradient matrix for instances *X*, *Xstar* and hyperparameter *param*.

Parameters

- **X** (*np.ndarray*, *shape*=(*n*, *nfeatures*)) – Instances
- **Xstar** (*np.ndarray*, *shape*=(*n*, *nfeatures*)) – Instances
- **param** (*str*) – Parameter to compute gradient matrix for.

Returns Gradient matrix for parameter *param*.

Return type *np.ndarray*

3.1.4 pyGPGO.acquisition module

class `pyGPGO.acquisition.Acquisition` (*mode*, *eps=1e-06*, ***params*)

Bases: `object`

Acquisition function class.

Parameters

- **mode** (*str*) – Defines the behaviour of the acquisition strategy. Currently supported values are *ExpectedImprovement*, *IntegratedExpectedImprovement*, *ProbabilityImprovement*, *IntegratedProbabilityImprovement*, *UCB*, *IntegratedUCB*, *Entropy*, *tExpectedImprovement*, and *tIntegratedExpectedImprovement*. Integrated improvement functions are only to be used with MCMC surrogates.
- **eps** (*float*) – Small floating value to avoid *np.sqrt* or zero-division warnings.
- **params** (*float*) – Extra parameters needed for certain acquisition functions, e.g. UCB needs to be supplied with *beta*.

Entropy (*tau, mean, std, sigman=1.0*)

Predictive entropy acquisition function

Parameters

- **tau** (*float*) – Best observed function evaluation.
- **mean** (*float*) – Point mean of the posterior process.
- **std** (*float*) – Point std of the posterior process.
- **sigman** (*float*) – Noise variance

Returns Predictive entropy.

Return type *float*

ExpectedImprovement (*tau, mean, std*)

Expected Improvement acquisition function.

Parameters

- **tau** (*float*) – Best observed function evaluation.
- **mean** (*float*) – Point mean of the posterior process.
- **std** (*float*) – Point std of the posterior process.

Returns Expected improvement.

Return type *float*

IntegratedExpectedImprovement (*tau, meanmcmc, stdmcmc*)

Integrated expected improvement. Can only be used with *GaussianProcessMCMC* instance.

Parameters

- **tau** (*float*) – Best observed function evaluation
- **meanmcmc** (*array-like*) – Means of posterior predictive distributions after sampling.
- **stdmcmc** – Standard deviations of posterior predictive distributions after sampling.

Returns Integrated Expected Improvement

Return type *float*

IntegratedProbabilityImprovement (*tau, meanmcmc, stdmcmc*)

Integrated probability of improvement. Can only be used with *GaussianProcessMCMC* instance.

Parameters

- **tau** (*float*) – Best observed function evaluation
- **meanmcmc** (*array-like*) – Means of posterior predictive distributions after sampling.
- **stdmcmc** – Standard deviations of posterior predictive distributions after sampling.

Returns Integrated Probability of Improvement

Return type *float*

IntegratedUCB (*tau, meanmcmc, stdmcmc, beta=1.5*)

Integrated probability of improvement. Can only be used with *GaussianProcessMCMC* instance.

Parameters

- **tau** (*float*) – Best observed function evaluation
- **meanmcmc** (*array-like*) – Means of posterior predictive distributions after sampling.

- **stdmcmc** – Standard deviations of posterior predictive distributions after sampling.
- **beta** (*float*) – Hyperparameter controlling exploitation/exploration ratio.

Returns Integrated UCB.

Return type *float*

ProbabilityImprovement (*tau, mean, std*)

Probability of Improvement acquisition function.

Parameters

- **tau** (*float*) – Best observed function evaluation.
- **mean** (*float*) – Point mean of the posterior process.
- **std** (*float*) – Point std of the posterior process.

Returns Probability of improvement.

Return type *float*

UCB (*tau, mean, std, beta=1.5*)

Upper-confidence bound acquisition function.

Parameters

- **tau** (*float*) – Best observed function evaluation.
- **mean** (*float*) – Point mean of the posterior process.
- **std** (*float*) – Point std of the posterior process.
- **beta** (*float*) – Hyperparameter controlling exploitation/exploration ratio.

Returns Upper confidence bound.

Return type *float*

__init__ (*mode, eps=1e-06, **params*)

Acquisition function class.

Parameters

- **mode** (*str*) – Defines the behaviour of the acquisition strategy. Currently supported values are *ExpectedImprovement*, *IntegratedExpectedImprovement*, *ProbabilityImprovement*, *IntegratedProbabilityImprovement*, *UCB*, *IntegratedUCB*, *Entropy*, *tExpectedImprovement*, and *tIntegratedExpectedImprovement*. Integrated improvement functions are only to be used with MCMC surrogates.
- **eps** (*float*) – Small floating value to avoid *np.sqrt* or zero-division warnings.
- **params** (*float*) – Extra parameters needed for certain acquisition functions, e.g. UCB needs to be supplied with *beta*.

eval (*tau, mean, std*)

Evaluates selected acquisition function.

Parameters

- **tau** (*float*) – Best observed function evaluation.
- **mean** (*float*) – Point mean of the posterior process.
- **std** (*float*) – Point std of the posterior process.

Returns Acquisition function value.

Return type `float`

tExpectedImprovement (*tau, mean, std, nu=3.0*)

Expected Improvement acquisition function. Only to be used with *tStudentProcess* surrogate.

Parameters

- **tau** (*float*) – Best observed function evaluation.
- **mean** (*float*) – Point mean of the posterior process.
- **std** (*float*) – Point std of the posterior process.

Returns Expected improvement.

Return type `float`

tIntegratedExpectedImprovement (*tau, meanmcmc, stdmcmc, nu=3.0*)

Integrated expected improvement. Can only be used with *tStudentProcessMCMC* instance.

Parameters

- **tau** (*float*) – Best observed function evaluation
- **meanmcmc** (*array-like*) – Means of posterior predictive distributions after sampling.
- **stdmcmc** – Standard deviations of posterior predictive distributions after sampling.
- **nu** – Degrees of freedom.

Returns Integrated Expected Improvement

Return type `float`

CHAPTER 4

References

CHAPTER 5

Indices and tables

- `genindex`
- `modindex`
- `search`

Bibliography

- [Rasmussen-Williams2004] Rasmussen, C. E., & Williams, C. K. I. (2004). Gaussian processes for machine learning. *International journal of neural systems* (Vol. 14). <http://doi.org/10.1142/S0129065704001899>
- [Shahriari2016] Shahriari, B., Swersky, K., Wang, Z., Adams, R. P., & De Freitas, N. (2016). Taking the human out of the loop: A review of Bayesian optimization. *Proceedings of the IEEE*. <http://doi.org/10.1109/JPROC.2015.2494218>
- [Shahriari2016] Shahriari, B., Swersky, K., Wang, Z., Adams, R. P., & De Freitas, N. (2016). Taking the human out of the loop: A review of Bayesian optimization. *Proceedings of the IEEE*. <http://doi.org/10.1109/JPROC.2015.2494218>

p

- `pyGPGO.acquisition`, [26](#)
- `pyGPGO.covfunc`, [19](#)
- `pyGPGO.GPGO`, [9](#)
- `pyGPGO.surrogates`, [19](#)
- `pyGPGO.surrogates.BoostedTrees`, [11](#)
- `pyGPGO.surrogates.GaussianProcess`, [12](#)
- `pyGPGO.surrogates.RandomForest`, [15](#)
- `pyGPGO.surrogates.tStudentProcess`, [17](#)

Symbols

`__init__()` (*pyGPGO.GPGO.GPGO method*), 10
`__init__()` (*pyGPGO.acquisition.Acquisition method*), 28
`__init__()` (*pyGPGO.covfunc.gammaExponential method*), 20
`__init__()` (*pyGPGO.covfunc.matern method*), 22
`__init__()` (*pyGPGO.covfunc.matern32 method*), 23
`__init__()` (*pyGPGO.covfunc.matern52 method*), 24
`__init__()` (*pyGPGO.covfunc.rationalQuadratic method*), 25
`__init__()` (*pyGPGO.covfunc.squaredExponential method*), 26
`__init__()` (*pyGPGO.surrogates.BoostedTrees.BoostedTrees method*), 11
`__init__()` (*pyGPGO.surrogates.GaussianProcess.GaussianProcess method*), 13
`__init__()` (*pyGPGO.surrogates.RandomForest.ExtraForest method*), 15
`__init__()` (*pyGPGO.surrogates.RandomForest.RandomForest method*), 16
`__init__()` (*pyGPGO.surrogates.tStudentProcess.tStudentProcess method*), 17
`_acqWrapper()` (*pyGPGO.GPGO.GPGO method*), 10
`_firstRun()` (*pyGPGO.GPGO.GPGO method*), 10
`_grad()` (*pyGPGO.surrogates.GaussianProcess.GaussianProcess method*), 13
`_lmlik()` (*pyGPGO.surrogates.GaussianProcess.GaussianProcess method*), 14
`_lmlik()` (*pyGPGO.surrogates.tStudentProcess.tStudentProcess method*), 18
`_optimizeAcq()` (*pyGPGO.GPGO.GPGO method*), 10
`_sampleParam()` (*pyGPGO.GPGO.GPGO method*), 10

A

Acquisition (*class in pyGPGO.acquisition*), 26

B

BoostedTrees (*class in pyGPGO.surrogates.BoostedTrees*), 11

C

`covfunc` (*pyGPGO.surrogates.GaussianProcess.GaussianProcess attribute*), 12, 13
`covfunc` (*pyGPGO.surrogates.tStudentProcess.tStudentProcess attribute*), 17

D

`dotProd` (*class in pyGPGO.covfunc*), 19

E

`Entropy()` (*pyGPGO.acquisition.Acquisition method*), 26
`eval()` (*pyGPGO.acquisition.Acquisition method*), 28
`ExpectedImprovement()` (*pyGPGO.acquisition.Acquisition method*), 27
`expSine` (*class in pyGPGO.covfunc*), 19
ExtraForest (*class in pyGPGO.surrogates.RandomForest*), 15

F

`fit()` (*pyGPGO.surrogates.BoostedTrees.BoostedTrees method*), 12
`fit()` (*pyGPGO.surrogates.GaussianProcess.GaussianProcess method*), 14
`fit()` (*pyGPGO.surrogates.RandomForest.ExtraForest method*), 15
`fit()` (*pyGPGO.surrogates.RandomForest.RandomForest method*), 16
`fit()` (*pyGPGO.surrogates.tStudentProcess.tStudentProcess method*), 18

G

`gammaExponential` (*class in pyGPGO.covfunc*), 20

- GaussianProcess (class in **N**
 pyGPGO.surrogates.GaussianProcess), 12
- getcovparams() (pyGPGO.surrogates.GaussianProcess.GaussianProcess
 attribute), 17
- getcovparams() (pyGPGO.surrogates.tStudentProcess.tStudentProcess
 method), 18
- getResult() (pyGPGO.GPGO.GPGO method), 11
- GPGO (class in pyGPGO.GPGO), 9
- gradK() (pyGPGO.covfunc.dotProd method), 19
- gradK() (pyGPGO.covfunc.expSine method), 20
- gradK() (pyGPGO.covfunc.gammaExponential
 method), 21
- gradK() (pyGPGO.covfunc.matern32 method), 23
- gradK() (pyGPGO.covfunc.matern52 method), 24
- gradK() (pyGPGO.covfunc.rationalQuadratic
 method), 25
- gradK() (pyGPGO.covfunc.squaredExponential
 method), 26
- ## H
- history (pyGPGO.GPGO.GPGO attribute), 10
- ## I
- IntegratedExpectedImprovement() (pyGPGO.acquisition.Acquisition
 method), 27
- IntegratedProbabilityImprovement() (pyGPGO.acquisition.Acquisition
 method), 27
- IntegratedUCB() (pyGPGO.acquisition.Acquisition
 method), 27
- ## K
- K() (pyGPGO.covfunc.dotProd method), 19
- K() (pyGPGO.covfunc.expSine method), 20
- K() (pyGPGO.covfunc.gammaExponential method), 20
- K() (pyGPGO.covfunc.matern method), 22
- K() (pyGPGO.covfunc.matern32 method), 22
- K() (pyGPGO.covfunc.matern52 method), 23
- K() (pyGPGO.covfunc.rationalQuadratic method), 24
- K() (pyGPGO.covfunc.squaredExponential method), 25
- kronDelta() (in module pyGPGO.covfunc), 21
- ## L
- l2norm_() (in module pyGPGO.covfunc), 21
- logpdf() (in module
 pyGPGO.surrogates.tStudentProcess), 17
- ## M
- matern (class in pyGPGO.covfunc), 21
- matern32 (class in pyGPGO.covfunc), 22
- matern52 (class in pyGPGO.covfunc), 23
- mprior (pyGPGO.surrogates.GaussianProcess.GaussianProcess
 attribute), 13
- nu (pyGPGO.surrogates.tStudentProcess.tStudentProcess
 attribute), 17
- optHyp() (pyGPGO.surrogates.GaussianProcess.GaussianProcess
 method), 14
- optHyp() (pyGPGO.surrogates.tStudentProcess.tStudentProcess
 method), 18
- optimize (pyGPGO.surrogates.GaussianProcess.GaussianProcess
 attribute), 12, 13
- optimize (pyGPGO.surrogates.tStudentProcess.tStudentProcess
 attribute), 17
- ## P
- param_grad() (pyGPGO.surrogates.GaussianProcess.GaussianProcess
 method), 14
- parameter_key (pyGPGO.GPGO.GPGO attribute),
 9, 10
- parameter_range (pyGPGO.GPGO.GPGO attribute),
 9, 10
- parameter_type (pyGPGO.GPGO.GPGO attribute),
 9, 10
- predict() (pyGPGO.surrogates.BoostedTrees.BoostedTrees
 method), 12
- predict() (pyGPGO.surrogates.GaussianProcess.GaussianProcess
 method), 14
- predict() (pyGPGO.surrogates.RandomForest.ExtraForest
 method), 15
- predict() (pyGPGO.surrogates.RandomForest.RandomForest
 method), 16
- predict() (pyGPGO.surrogates.tStudentProcess.tStudentProcess
 method), 18
- ProbabilityImprovement() (pyGPGO.acquisition.Acquisition
 method), 28
- pyGPGO.acquisition (module), 26
- pyGPGO.covfunc (module), 19
- pyGPGO.GPGO (module), 9
- pyGPGO.surrogates (module), 19
- pyGPGO.surrogates.BoostedTrees (module),
 11
- pyGPGO.surrogates.GaussianProcess (mod-
 ule), 12
- pyGPGO.surrogates.RandomForest (module),
 15
- pyGPGO.surrogates.tStudentProcess (mod-
 ule), 17
- ## R
- RandomForest (class in
 pyGPGO.surrogates.RandomForest), 16
- rationalQuadratic (class in pyGPGO.covfunc), 24

`run()` (*pyGPGO.GPGO.GPGO method*), [11](#)

S

`squaredExponential` (*class in pyGPGO.covfunc*),
[25](#)

T

`tExpectedImprovement()`
(*pyGPGO.acquisition.Acquisition method*),
[29](#)

`tIntegratedExpectedImprovement()`
(*pyGPGO.acquisition.Acquisition method*),
[29](#)

`tStudentProcess` (*class in pyGPGO.surrogates.tStudentProcess*), [17](#)

U

`UCB()` (*pyGPGO.acquisition.Acquisition method*), [28](#)

`update()` (*pyGPGO.surrogates.BoostedTrees.BoostedTrees method*), [12](#)

`update()` (*pyGPGO.surrogates.GaussianProcess.GaussianProcess method*), [15](#)

`update()` (*pyGPGO.surrogates.RandomForest.ExtraForest method*), [16](#)

`update()` (*pyGPGO.surrogates.RandomForest.RandomForest method*), [16](#)

`update()` (*pyGPGO.surrogates.tStudentProcess.tStudentProcess method*), [18](#)

`updateGP()` (*pyGPGO.GPGO.GPGO method*), [11](#)

`usegrads` (*pyGPGO.surrogates.GaussianProcess.GaussianProcess attribute*), [13](#)